



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CHANGED PIN MATERIAL FROM 1018 RND. TO 304 S.S. BAR	5/27/09	WP	
1A	-1 REMOVED REF. FROM B.C. Ø1.393 DIMENSION. ADDED (.6965) DIMENSION PER G.E.	9/15/11	RJC	RW
2	VERIFIED AND CORRECTED -1 DIMENSIONS TO MATCH THE ORIGINAL DWG. REPLACED -3 PIN WITH DOWEL PIN. CHANGED ASSEMBLED PIN HIEGHT FROM 1.306 TO 1.890±.004 PER ORIGINAL DWG.	7/24/2012	RJC	SE
3	CH'D COUNTER BORE DEPTH WAS .323 IS .275. ADDED DWG. FOR -3 TO MODIFY DOWEL PIN.	4/18/2013	CFS	RW
3A	CH'D T/N WAS RBEA93-3500-00 IS RBE350A93-3500-00. CH'D TOOL NAME WAS BEARING EXTRACTOR, HYDRAULIC PUMP IS BEARING EXTRACTOR.	11/6/2013	RJC	RW




ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BODY	6061	Ø2-1/4 X 3/4	2
			-3	3	DOWEL PIN	18-8	Ø8mm X 40mm MCMASTER-CARR #91585A208 (MODIFIED.)	3


 <b>RED BARN MACHINE</b>	
TITLE <b>BEARING EXTRACTOR</b>	
DWG NO. <b>RBE350A93-3500-00</b>	REV <b>3A</b>
MAT'L	DRAWN BY: <b>CLOUGH</b>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
APPROVED <i>D Weil</i>	
HEAT TREAT	
FINISH	
SPEC	
USED ON MODEL	
EUROCOPTER 350A	
SCALE 1:1	DATE 7/24/2012
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1A	-1 REMOVED REF. FROM B.C. Ø1.393 DIMENSION. ADDED (.6965) DIMENSION PER G.E.	9/15/11	RJC	RW
2	VERIFIED AND CORRECTED -1 DIMENSIONS TO MATCH THE ORIGINAL DWG.	7/24/2012	RJC	SE
3	CH'D COUNTER BORE DEPTH WAS .323 IS .275.	4/18/2013	CFS	RW





(-1)  
BODY




<b>RED BARN MACHINE</b>	
TITLE <b>BEARING EXTRACTOR</b>	
DWG NO. <b>RBE350A93-3500-00-1</b>	REV <b>3A</b>
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm .005$	HEAT TREAT
.XX $\pm .01$	FINISH CLEAR ANODIZE
.X $\pm .1$	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	EUROCOPTER 350A
SCALE 1:1	DATE 7/24/2012
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
3	ADDED DWG. FOR -3 TO MODIFY DOWEL PIN.	4/18/2013	RJC	RW



 <b>RED BARN MACHINE</b>	
TITLE <b>BEARING EXTRACTOR</b>	
DWG NO. <b>RBE350A93-3500-00-3</b>	REV <b>3A</b>
MAT'L 18-8	DRAWN BY: <b>CLOUGH</b>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	<b>EUROCOPTER 350A</b>
SCALE 1:1	DATE 4/19/2013
SHEET 3 OF 3	